






İRKM 43-42


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRK 43-42

İRKPM 43-42



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKP 43-42





İRK... 43-42


... -SR




... -SL





... -SD



... -H





... -SDL / SDR




	ØR	L	e	u1	v	h	L1	G
Std.	Ø25	50	40	8	28.3	124	291	DIN 332 - DR M10
Ops.	Ø35	70	56	10	38.3	144	331	DIN 332 - DR M12


	Std.	Ops.
Øb	Ø30	Ø35
w	19.5	18.5
C	35	25
C1	20	20
G1	DIN 933 M12x30	DIN 933 M12x30




Standart / Standard




... -FR




... -FL




... -FD




Opsiyonel / Option




... -FR-SR







... -FL-SL




... -FD-SD





Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen





-TL




-TR





İRKM 53-52

İRK 53-52


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 53-52



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 53





İRK... 53-52


... -SR




... -SL




... -SD



... -H





... -SDL / SDR




	ØR	L	e	u1	v	h	L1	G
Std.	Ø25	50	40	8	28.3	124	291	DIN 332 - DR M10
Ops.	Ø35	70	56	10	38.3	144	331	DIN 332 - DR M12


	Std.	Ops.
Øb	Ø30	Ø35
w	19.5	18.5
C	35	25
C1	20	20
G1	DIN 933 M12x30	DIN 933 M12x30




Standart / Standard




... -FR




... -FL




... -FD




Opsiyonel / Option




... -FR-SR




... -FL-SL




... -FD-SD







Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen








71, 80, 90, 100
B5 Tip/Type/Typ






63 B5 Tip/Type/Typ





İRKM 63


	71	80	90 S	90 L	100
A	468	495	524	549	589
A ₁	519	564	590	615	667
H	111	118	132	132	141
HD	182	198	222	222	241
AC	138	158	193	193	217




İRK 63


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 63


	63/B5	71/B5	80/B5	90 S/B5	90 L/B5	100/B5
A	482	517	540	555	580	626
A ₁	538	568	609	621	646	704
H	99	111	118	132	132	141
HD	162	182	198	222	222	241
AC	123	138	158	193	193	217

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse


İRKPM 63


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u	x
63/B5	286	95	115	140	M8	35.5	8	4	11	12.8	4	-
71/B5	294	110	130	160	M8	44	9	4	14	16.3	5	-
80/B5	296	130	165	200	M10	46	12	5	19	21.8	6	-
90/B5	296	130	165	200	M10	46	12	5	24	27.3	8	-
100/B5	310	180	215	250	M12	60	14	5	28	31.3	8	24.5




İRK... 63


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD




... -FR-SR







... -FL-SL



... -FD-SD








Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




-TL

-TR




























İRKM 63 İR52

İRK 63 İR 52
İRK 63 İR 53



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 63 İR 52
İRKPM 63 İR 53





"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 63 İR 52
İRKPM 63 İR 53



İRK... 63 İR 52-53
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

-TL
-TR





İRKM 73


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRK 73

İRKPM 73

İRKPM 73





İRK... 73
... -SR





... -SL






... -SD




... -H




... -SDL / SDR





... -FR




... -FL




... -FD




... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




80, 90, 100, 112, 132
B5 Tip/Type/Typ





71 B5 Tip/Type/Typ





-TL




-TR





İRKM 74

İRK 74


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 74


	63/B5	71/B5	80/B5	90 S/B5
A	562	597	620	635
A ₁	618	648	689	701
H	99	111	118	132
HD	162	182	198	222
AC	123	138	158	193

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse


İRKPM 74


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
63/B5	366	95	115	140	M8	35.5	8	4	11	12.8	4
71/B5	374	110	130	160	M8	44	9	4	14	16.3	5
80/B5	376	130	165	200	M10	46	12	5	19	21.8	6
90/B5	376	130	165	200	M10	46	12	5	24	27.3	8




İRK... 74


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR








... -FL-SL




... -FD-SD




Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen





İRKM 73 İR52
İRKM 73 İR53


	71	80				
A	641	668				
A ₁	692	737				
H	111	118				
HD	182	198				
AC	138	158				


İRK 73 İR 52
İRK 73 İR 53


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 73 İR 52
İRKPM 73 İR 53


	63/B5	71/B5	80/B5	
A	655	690	713	
A ₁	711	741	782	
H	99	111	118	
HD	162	182	198	
AC	123	138	158	

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRKPM 73 İR 52
İRKPM 73 İR 53


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
63/B5	459	95	115	140	M8	35.5	8	4	11	12.8	4
71/B5	467	110	130	160	M8	44	9	4	14	16.3	5
80/B5	469	130	165	200	M10	46	12	5	19	21.8	6





İRK... 73 İR 52-53


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD




... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




80, 90, 100, 112, 132
B5 Tip/Type/Typ





71 B5 Tip/Type/Typ





-TL




-TR





İRKM 83

İRK 83


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 83




"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 83






İRK... 83


... -SR





... -SL






... -SD




... -H




... -SDL / SDR





... -FR




... -FL




... -FD




... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




71, 90, 100, 112, 132,
160 B5 Tip/Type/Typ






80 B5 Tip/Type/Typ



-TL




-TR






İRKM 84




	71	80	90 S			
A	605	634	664			
A ₁	656	703	730			
H	111	118	132			
HD	182	198	222			
AC	138	158	193			

"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse

İRK 84




İRKPM 84




























	71/B5	80/B5	90 S/B5	
A	662	688	703	
A ₁	713	757	769	
H	111	118	132	
HD	182	198	222	
AC	138	158	193	


"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse

İRKP 84




	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
71/B5	439	110	130	160	M8	45	9	4	14	16.3	5
80/B5	444	130	165	200	M10	50	12	5	19	21.8	6
90/B5	444	130	165	200	M10	50	12	5	24	27.3	8



İRK... 84
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

-TL

-TR



İRKM 83 İR 52
İRKM 83 İR 53


	71	80				
A	697	724				
A ₁	748	793				
H	111	118				
HD	182	198				
AC	138	158				


İRK 83 İR 52
İRK 83 İR 53


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 83 İR 52
İRKPM 83 İR 53


	63/B5	71/B5	80/B5	
A	711	746	769	
A ₁	767	797	838	
H	99	111	118	
HD	162	182	198	
AC	123	138	158	

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRKP 83 İR 52
İRKP 83 İR 53


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
63/B5	515	95	115	140	M8	35.5	8	4	11	12.8	4
71/B5	523	110	130	160	M8	44	9	4	14	16.3	5
80/B5	525	130	165	200	M10	46	12	5	19	21.8	6





İRK... 83 İR 52-53



... -SR




... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




71, 90, 100, 112, 132,
160 B5 Tip/Type/Typ





80 B5 Tip/Type/Typ





-TL




-TR



























İRKM 93

İRK 93




"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 93


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 93




İRK... 93
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen






















İRKM 94

İRK 94


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse





İRKPM 94



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 94




İRK... 94
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

 71, 90, 100 B5
 Tip/Type/Typ


80 B5 Tip/Type/Typ





İRKM 93 İR 62
İRKM 93 İR 63


	71	80	90 S	90 L		
A	793	823	853	878		
A ₁	844	892	919	944		
H	111	118	132	132		
HD	182	198	222	222		
AC	138	158	193	193		


İRK 93 İR 62
İRK 93 İR 63


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 93 İR 62
İRKPM 93 İR 63


	63/B5	71/B5	80/B5	90 S/B5	90 L/B5
A	815	850	876	892	917
A ₁	871	901	945	958	983
H	99	111	118	132	132
HD	162	182	198	222	222
AC	123	138	158	193	193

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse


İRKP 93 İR 62
İRKP 93 İR 63


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
63/B5	618	95	115	140	M8	35.5	8	4	11	12.8	4
71/B5	628	110	130	160	M8	45	9	4	14	16.3	5
80/B5	633	130	165	200	M10	50	12	5	19	21.8	6
90/B5	633	130	165	200	M10	50	12	5	24	27.3	8




İRK... 93 İR 62-63


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD




Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




-TL




























-TR






İRKM 103


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRK 103

İRKPM 103

İRKPM 103




İRK... 103
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

























İRKM 104

İRK 104




"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 104



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 104




İRK... 104
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen



İRKM 103 İR 62
İRKM 103 İR 63

İRK 103 İR 62
İRK 103 İR 63


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 103 İR 62
İRKPM 103 İR 63




"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 103 İR 62
İRKPM 103 İR 63






İRK... 103 İR 62-63


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD





Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




-TL




-TR





İRKM 123


	100	112	132 S	132 M	160 M	160 L	180 M	180 L	200	225 S	225 M
A	775	798	850	888	978	1022	1035	1073	1114	1114	1114
A ₁	853	881	950	988	1093	1137	1155	1193	1234	1234	1234
H	141	149	182	182	225	225	248	248	275	285	285
HD	241	261	314	314	385	385	428	428	425	510	510
AC	217	232	279	279	325	325	370	370	415	456	456


İRK 123


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 123


	100/B5	112/B5	132 S/B5	132 M/B5	160 M/B5	160 L/B5	180 M/B5	180 L/B5	200/B5	225 S/B5	225 M/B5
A	935	955	1026	1064	1143	1187	1200	1238	1358	1383	1408
A ₁	1013	1038	1126	1164	1258	1302	1320	1358	1478	1503	1528
H	141	149	182	182	225	225	248	248	275	285	285
HD	241	261	314	314	385	385	428	428	425	510	510
AC	217	232	279	279	325	325	370	370	415	456	456

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRKPM 123


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
100/B5	619	180	215	250	M12	57	15	5	28	31.3	8
112/B5	619	180	215	250	M12	57	15	5	28	31.3	8
132/B5	646	230	265	300	M12	84	17	6	38	41.3	10
160/B5	653	250	300	350	M14	91	18	6.5	42	45.3	12
180/B5	653	250	300	350	M14	91	18	6.5	48	51.8	14
200/B5	721	300	350	400	M16	159	20	6.5	55	59.3	16
225/B5	728	350	400	450	M16	166	22	6.5	60	69.4	18





İRK... 123


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




100, 112, 132, 180, 200,
225 B5 Tip/Type/Typ





160 B5 Tip/Type/Typ



-TL




-TR






İRKM 124




"A₁" Ölçüsü Frenli Motorlar içindir.
Dimension "A₁" is for motors with brake
Maß "A₁" ist für Motoren mit Bremse

İRK 124




İRKPM 124



"A₁" Ölçüsü Frenli Motorlar içindir.
Dimension "A₁" is for motors with brake
Maß "A₁" ist für Motoren mit Bremse


İRKPM 124






İRK... 124


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD





Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen






-TL







-TR




İRKM 123 İR 72
İRKM 123 İR 73



	71	80	90 S	90 L	100	112	132 S
A	987	1017	1047	1072	1113	1136	1198
A ₁	1038	1086	1113	1138	1191	1219	1298
H	111	118	132	132	141	149	182
HD	182	198	222	222	241	261	314
AC	138	158	193	193	217	232	279

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRK 123 İR 72
İRK 123 İR 73

İRKPM 123 İR 72
İRKPM 123 İR 73


	71/B5	80/B5	90 S/B5	90 L/B5	100/B5	112/B5	132 S/B5
A	1063	1096	1111	1136	1173	1193	1261
A ₁	1114	1165	1177	1202	1251	1276	1361
H	111	118	132	132	141	149	182
HD	182	198	222	222	241	261	314
AC	138	158	193	193	217	232	279

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse


İRKP 123 İR 72
İRKP 123 İR 73


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
71/B5	840	110	130	160	M8	55	10	4	14	16.3	5
80/B5	852	130	165	200	M10	67	12	5	19	21.8	6
90/B5	852	130	165	200	M10	67	12	5	24	27.3	8
100/B5	857	180	215	250	M12	71.5	14	5	28	31.3	8
112/B5	857	180	215	250	M12	71.5	14	5	28	31.3	8
132/B5	881	230	265	300	M12	95.5	17	5	38	41.3	10




İRK... 123 İR 72-73


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen



100, 112, 132, 180, 200,
225 B5 Tip/Type/Typ








160 B5 Tip/Type/Typ






-TL

-TR





İRKM 143


	132 S	132 M	160 M	160 L	180 M	180 L	200	225 S	225 M	250	280 S	280 M
A	1043	1081	1161	1205	1220	1258	1309	1342	1367	1445	1506	1506
A ₁	1143	1181	1276	1320	1340	1378	1429	1462	1487	1565	1626	1706
H	182	182	225	225	248	248	275	285	285	322	350	350
HD	314	314	385	385	428	428	425	510	510	572	630	630
AC	279	279	325	325	370	370	415	456	456	480	544	544


İRK 143


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse


İRKPM 143


	132 S/B5	132 M/B5	160 M/B5	160 L/B5	180 M/B5	180 L/B5
A	1129	1167	1264	1308	1321	1359
A ₁	1229	1267	1379	1423	1441	1479
H	182	182	225	225	248	248
HD	314	314	385	385	428	428
AC	279	279	325	325	370	370
	200/B5	225 S/B5	225 M/B5	250/B5	280 S/B5	280 M/B5
A	1479	1506	1531	1607	1501	1501
A ₁	1599	1626	1651	1727	1621	1701
H	275	285	285	322	350	350
HD	425	510	510	572	630	630
AC	415	456	456	480	544	544


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 143


≤ 200 B5 Tip/Type/Typ



≥ 225 B5 Tip/Type/Typ





	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
132/B5	749	230	265	300	M12	61	17	6	38	41.3	10
160/B5	774	250	300	350	M14	91	18	6.5	42	45.3	12
180/B5	774	250	300	350	M14	91	18	6.5	48	51.8	14
200/B5	842	300	350	400	M16	159	20	6.5	55	59.3	16
225/B5	851	350	400	450	M16	168	22	6.5	60	64.4	18
250/B5	851	450	500	550	M16	168	22	6.5	65	69.4	18
280/B5	851	450	500	550	M16	168	22	6.5	75	75.9	20





İRK... 143


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




132, 160, 180, 225, 250,
280 B5 Tip/Type/Typ





200 B5 Tip/Type/Typ





-TL




-TR
























İRKM 144

İRK 144


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse





İRKPM 144


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 144






İRK... 144
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

 100, 112, 132 B5
 Tip/Type/Typ


160 B5 Tip/Type/Typ


-TL
-TR







İRKM 143 İR 72
İRKM 143 İR 73




	71	80	90 S	90 L	100	112	132 S	132 M
A	1108	1138	1168	1193	1234	1257	1319	1357
A ₁	1159	1207	1234	1259	1312	1340	1419	1457
H	111	118	132	132	141	149	182	182
HD	182	198	222	222	241	261	314	314
AC	138	158	193	193	217	232	279	279

"A₁" Ölçüsü Frenli Motorlar içindir.
Dimension "A₁" is for motors with brake
Maß "A₁" ist für Motoren mit Bremse

İRK 143 İR 72
İRK 143 İR 73




İRKPM 143 İR 72
İRKPM 143 İR 73



	71/B5	80/B5	90 S/B5	90 L/B5	100/B5	112/B5	132 S/B5	132 M/B5
A	1184	1217	1232	1257	1294	1314	1382	1420
A ₁	1235	1286	1298	1323	1372	1397	1482	1520
H	111	118	132	132	141	149	182	182
HD	182	198	222	222	241	261	314	314
AC	138	158	193	193	217	232	279	279

"A₁" Ölçüsü Frenli Motorlar içindir.
Dimension "A₁" is for motors with brake
Maß "A₁" ist für Motoren mit Bremse

İRKP 143 İR 72
İRKP 143 İR 73





	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
71/B5	961	110	130	160	M8	55	10	4	14	16.3	5
80/B5	973	130	165	200	M10	67	12	5	19	21.8	6
90/B5	973	130	165	200	M10	67	12	5	24	27.3	8
100/B5	978	180	215	250	M12	71.5	14	5	28	31.3	8
112/B5	978	180	215	250	M12	71.5	14	5	28	31.3	8
132/B5	1002	230	265	300	M12	95.5	17	5	38	41.3	10





İRK... 143 İR 72-73


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




132, 160, 180, 225, 250,
280 B5 Tip/Type/Typ




200 B5 Tip/Type/Typ



-TL






-TR








İRKM 143 İR 82




	90 S	90 L	100	112	132 S	132 M	160 M
A	1215	1240	1280	1302	1364	1402	1504
A ₁	1281	1306	1358	1385	1464	1502	1619
H	132	132	141	149	182	182	225
HD	222	222	241	261	314	314	385
AC	193	193	217	232	279	279	325

İRK 143 İR 82



"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse


İRKPM 143 İR 82






















	90 S/B5	90 L/B5	100/B5	112/B5	132 S/B5	132 M/B5	160 M/B5
A	1290	1315	1355	1375	1440	1478	1566
A ₁	1356	1381	1433	1458	1540	1578	1681
H	132	132	141	149	182	182	225
HD	222	222	241	261	314	314	385
AC	193	193	217	232	279	279	325

"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse








İRKP 143 İR 82




	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
90/B5	1031	130	165	200	M10	67	12	5	24	27.3	8
100/B5	1039	180	215	250	M12	74	14	5	28	31.3	8
112/B5	1039	180	215	250	M12	74	14	5	28	31.3	8
132/B5	1060	230	265	300	M12	95.5	17	5	38	41.3	10
160/B5	1076	250	300	350	M14	91	18	6.5	42	45.3	12



İRK... 143 İR 82
... -SR

... -SL

... -SD

... -H

... -SDL / SDR

... -FR

... -FL

... -FD

... -FR-SR

... -FL-SL

... -FD-SD

Klemens Pozisyonları
 Terminal Box Positions
 Klemenskasten Positionen

 132, 160, 180, 225, 250,
 280 B5 Tip/Type/Typ


200 B5 Tip/Type/Typ



-TL

-TR



İRKM 153


	160 M	160 L	180 M	180 L	200	225 S	225 M	250	280 S	280 M	315 S	315 M	315 L	315 L
A	1245	1289	1302	1340	1391	1424	1449	1527	1588	1588	1793	1793	1863	2150
A ₁	1360	1404	1422	1460	1511	1544	1569	1647	1708	1788	1993	1993	2063	2350
H	225	225	248	248	275	285	285	322	350	350	510	510	510	510
HD	385	385	428	428	425	510	510	572	630	630	825	825	825	825
AC	325	325	370	370	415	456	456	480	544	544	614	614	614	614


İRK 153


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 153


	160 M/B5	160 L/B5	180 M/B5	180 L/B5	200/B5	225 S/B5	225 M/B5	250/B5
A	1346	1390	1403	1441	1561	1588	1613	1689
A ₁	1461	1505	1523	1561	1681	1708	1733	1809
H	225	225	248	248	275	285	285	322
HD	385	385	428	428	425	510	510	572
AC	325	325	370	370	415	456	456	480
	280 S/B5	280 M/B5	315 S/B5	315 M/B5	315 L/B5	315 L/B5	315 L/B5	
A	1751	1751	1983	1983	2053	2210	2340	
A ₁	1871	1951	2183	2183	2253	2410	2540	
H	350	350	510	510	510	510	510	
HD	630	630	630	630	630	630	630	
AC	544	544	544	544	544	544	544	

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRKPM 153


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
160/B5	856	250	300	350	M14	91	18	6.5	42	45.3	12
180/B5	856	250	300	350	M14	91	18	6.5	48	51.8	14
200/B5	924	300	350	400	M16	159	20	6.5	55	59.3	16
225/B5	933	350	400	450	M16	168	22	6.5	60	64.4	18
250/B5	933	450	500	550	M16	168	22	6.5	65	69.4	18
280/B5	933	450	500	550	M16	168	22	6.5	75	75.9	20
315/B5	1003	230	265	300	M12	61	17	6	38	41.3	10





İRK... 153


... -SR





... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD





Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen





-TL




-TR





İRKM 154

İRK 154


"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 154



"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRKPM 154





İRK... 154


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR




... -FL-SL




... -FD-SD






Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen



100, 112, 132 B5
Tip/Type/Typ






160 B5 Tip/Type/Typ




-TL

-TR




IRKM 153 IR 93




	100	112	132 S	132 M	160 M	
A	1402	1425	1477	1515	1605	
A ₁	1480	1508	1577	1615	1720	
H	141	149	182	182	225	
HD	241	261	314	314	385	
AC	217	232	279	279	325	

"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse

İRK 153 İR 93




İRKPM 153 İR 93



	80/B5	90 S/B5	90 L/B5	100/B5	112/B5	132 S/B5	132 M/B5	160 M/B5
A	1390	1405	1430	1471	1491	1572	1610	1698
A ₁	1459	1471	1496	1549	1574	1672	1710	1813
H	118	132	132	141	149	182	182	225
HD	198	222	222	241	261	314	314	385
AC	158	193	193	217	232	279	279	325

"A1" Ölçüsü Frenli Motorlar içindir.
Dimension "A1" is for motors with brake
Maß "A1" ist für Motoren mit Bremse

İRKP 153 İR 93




	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
80/B5	1146	130	165	200	M10	49	12	5	19	21.8	6
90/B5	1146	130	165	200	M10	49	12	5	24	27.3	8
100/B5	1155	180	215	250	M12	58	14	5	28	31.3	8
112/B5	1155	180	215	250	M12	58	14	5	28	31.3	8
132/B5	1192	230	265	300	M12	95	17	6	38	41.3	10
160/B5	1208	250	300	350	M14	111	18	6.5	42	45.3	12




İRK... 153 İR 92-93


... -SR




... -SL









... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD




Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen




-TL





-TR




İRK 153 İR 102



	132 M	160 M	160 L	180 M	180 L
A	1575	1647	1691	1719	1757
A ₁	1675	1762	1806	1839	1877
H	182	225	225	248	248
HD	314	385	385	428	428
AC	279	325	325	370	370

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse

İRK 153 İR 102

İRKPM 153 İR 102


	132 M/B5	160 M/B5	160 L/B5	180 M/B5	180 L/B5
A	1667	1746	1790	1803	1841
A ₁	1767	1861	1905	1923	1961
H	182	225	225	248	248
HD	314	385	385	428	428
AC	279	325	325	370	370

"A₁" Ölçüsü Frenli Motorlar içindir.
 Dimension "A₁" is for motors with brake
 Maß "A₁" ist für Motoren mit Bremse



İRK 153 İR 102


	A	Øp	Øf	ØD	s	k	m	n	Ød	t	u
132/B5	1249	230	265	300	M14	84	17	6	38	41.3	10
160/B5	1256	250	300	350	M14	91	18	6.5	42	45.3	12
180/B5	1256	250	300	350	M14	91	18	6.5	48	51.8	14





İRK... 153 İR 102



... -SR




... -SL






... -SD




... -H




... -SDL / SDR




... -FR




... -FL




... -FD





... -FR-SR







... -FL-SL




... -FD-SD




Klemens Pozisyonları
Terminal Box Positions
Klemenskasten Positionen










-TL



-TR




İRKE...M

İRKE...PM

İRKE...

İRKE...P

İRKE...L

İRKE...R

q: Adet / Quantity / quantité

	Øp	Øf	ØD	m	s	y	q	b°	Ød	Ød1	e	u	t	M	n	k	L	J	h
İRKE... 63-62	110	130	160	8	M8	39	4	45°	28	14	63	8	31.3	M12	24	104	238	11.45	112
İRKE... 73-72	130	165	200	8	M10	31	8	22.5°	35	20	58	10	38.3	M18	36	114	266	17.27	140
İRKE... 83-82	130	165	200	10	M12	37	8	22.5°	40	20	58	12	43.3	M18	36	132.5	320	30.51	180
İRKE... 93-92	180	215	250	10	M14	40	8	22.5°	50	26	72	14	53.8	M24	48	132	342	27.08	212
İRKE... 103-102	230	265	300	10	M14	50	8	22.5°	60	26	93	18	64.4	M24	48	176	426	33	265
İRKE... 123-122	300	350	400	10	M16	52	8	22.5°	80	26	115	22	85.4	M24	48	174	489	57.68	315
İRKE... 143-142	250	300	350	10	M20	44	8	22.5°	100	32	125	28	106.4	M30	60	213.5	583	59.4	375
İRKE... 153-152	350	400	450	10	M24	57	10	18°	110	32	130	28	116.4	M30	60	180	640	73.13	450

Redüktör gövde ölçüleri için standart ölçü sayfasına bakınız.

For gearbox housing dimensions please refer to the standart dimension pages.

La taille standard pour le boîtier de réducteur, reportez-vous à la taille de la page.